

# Subject Index

- Abscondance, 422
- Abstinence
  - abstainers, 157
  - brain atrophy in abstinent alcoholics, 75-76, 89-95
  - cocaine, 313-320
  - non-abstinent and abstinent outcomes, 279-287
  - opiate addicts, 169
  - programs/clinics, 231-235, 306-309
- Abstinence violation effect, 307-308
- Acquired immune deficiency syndrome (AIDS), 13, 403, 428, 474, 503
- Addiction Severity Index (ASI), 326, 327-328, 330, 331
- Addictions treatment
  - civil commitment approaches, 417-430
  - coercion in, 403-451
  - growth areas in, 297-310
  - pharmacological approaches in, 302-304
- Adolescents
  - alcohol and marijuana prevention, 460-461
  - communitywide prevention efforts, 465-466
  - cross-national studies of drinking, 2-5
  - drug use, 37-50, 156-157
  - early substance abuse prevention programs, 456-457
  - Life Skills Training (LST) program, 461-463, 476-477
  - mass media interventions, 463-465
  - Midwestern Prevention Project (MPP), 489-501
  - policy-level interventions for adolescent drug use, 466-467
  - preventing adolescent drug abuse, 453-461, 473-485, 489-507
  - primary treatment programs, 227, 229, 232
  - smoking prevention, 459-460
  - social influences model of substance use prevention, 457-459
  - youth treatment services, 250, 252, 260-267, 275-276, 277-278
- Adoption studies, alcoholism, 207-208
- Adult Children of Alcoholics*, 361
- Adverse Consequences Index, 369
- African-Americans. *See* Blacks
- Alcohol
  - classification of alcohol problems, 116-117, 147-148
  - consumption and neuroimaging changes, 75-76
  - controlled drinking, 279-287
  - drinking behavior of rats, 193-202
  - first pass metabolism of ethanol, 81-88
  - metabolizing genes studies, 210-211
  - treatment programs, 231-235, 333-340
  - use of cocaine and, 17-23
- Alcohol abuse, neuropsychological syndromes associated with, 61-76
- Alcohol dehydrogenase (ADH), 210-211, 219
- Alcohol dependence syndrome, 110, 111-113, 145
- Alcohol withdrawal, 75-76, 89-95, 166-167
- Alcoholic dementia (AD), 61, 65
- Alcoholics
  - brain atrophy in abstinent, 75-76, 89-95
  - children of, 156, 177-191
  - choice of drinking goals in alcoholic treatment program, 333-339
  - communication skills training for, 367-374
  - matching studies, 309-310
  - neuroimaging of, 62-64, 71-76
  - neuropsychological impairment in, 62, 64-71
  - self-help groups for, 345-346, 349-350
  - sons of male alcoholics (SOMAs), 160, 162-164, 165
  - subtypes of, 67, 117-120
  - subtyping male, 125-134
  - treatment matching, 323-331
  - Type I and Type II, 120, 208, 219, 308, 309, 335, 336-337, 339
- Alcoholics Anonymous, 226, 305, 345-383, 397-399, 401-402, 407, 410, 411, 412
- 12-step program and problems other than alcohol, 358-363
- 12-step treatment and development as social movement, 354-358
- as a belief and interaction system, 350-354

- Alcoholics Anonymous (*continued*)  
  as a self-help movement, 346-350  
  communication skills training, 367-374  
  organizational principles, 348-349  
  and other self-help groups, 349-350  
  spirituality and recovery, 375-383  
  structure of, 347-348
- Alcoholism  
  aging and, 34, 64  
  and anxiety disorders, 165  
  association and linkage studies, 209  
  comorbidity, 31, 70, 204  
  cross-national studies of, 1-13  
  definitions of controlled drinking, 279-287  
  disease concept, 292, 351, 404  
  ethnicity and, 66  
  family history of, 66-67, 125-134, 205-208  
  gender and, 64, 66  
  genetic control of, 154-155  
  genetic epidemiology of, 203-212  
  laboratory testing, 240-241  
  literature, 361, 362  
  multigenerational family histories (MFH) of, 163, 164, 165  
  in North America and Asia, 25-35  
  and schizophrenia, 34  
  socioeconomic status, 66  
  sociopathic traits, 309-310, 324  
  treatment programs, 333-340  
  vulnerability studies, 209-210
- Aldehyde dehydrogenase (ALDH), 210-211, 219
- American Drug and Alcohol Survey (ADAS), 38-39, 42, 48, 453, 454, 455
- Amethyst project, 298, 299
- Anti-social personality disorder  
  alcoholism comorbidity, 31, 70  
  Axis I and II subtypes, 118-119  
  children with ERP reactions and, 191  
  depression and ASP subtypes, 149-150  
  familial alcoholism and, 67, 130-131  
  lifetime prevalence rates, 159-160  
  sensation-seekers and, 159
- Anxiety Sensitivity Index, 165
- Anxiety system, 161-167
- ASI Psychiatric Severity, 326, 327-328, 330, 331
- Asian-Americans, youth drug use, 39, 44, 455-456
- Attention Deficit/Hyperactivity Disorder (ADHD), 68
- Axis I/Axis II subtypes, 118-120
- Behavioral pathology, 109-151  
  diagnostic classification system, 109-121  
  substance dependence syndrome and opiate users, 137-143  
  subtyping male alcoholics, 125-134
- Blacks  
  drug offenders, 437, 440-442  
  lifetime prevalence rates, 34  
  use of alcohol and cocaine, 19-23  
  youth drug use, 38, 39, 44, 45, 46, 455-456
- Blood alcohol content (BAC), 38
- Blood alcohol levels, in women, 81-88
- Brain atrophy  
  in abstinent alcoholics, 89-95  
  cerebellar atrophy in alcoholics, 74, 75-76  
  frontal lobe atrophy in KS patients, 72
- Brainwashing, 387
- Bulimia nervosa, 304
- California Civil Addicts Program (CAP), 405, 408-409  
  civil commitment approaches, 417-430
- California Psychological Inventory Socialization Scale (CPT-So), 326, 328, 330
- California Society of Addiction Medicine, 227
- Charismatic groups, 385-388
- Children  
  of alcoholics, 156-157, 177-191  
  with Attention Deficit/Hyperactivity Disorder (ADHD), 68  
  ERP reactions of, 163
- Children of God, 386
- Civil commitment and narcotics addiction, 417-430
- Cocaine, 72-73, 156, 259, 304, 305, 306  
  abstinence, 313-320  
  abuse on dopamine receptors, 72-73, 97-103  
  and amphetamine users, 160  
  use of alcohol and, 11, 17-23  
  withdrawal, 115, 160-161
- Cocaine Abuse History and Inventory, 316
- Cocaine Anonymous, 359, 401
- Cocaine Use Inventory and Craving Scale, 316
- Coercion  
  forms of, 404-406, 408  
  legal, 427-429  
  studies and treatments in, 409-411
- Coercion in addictions treatment, 403-451  
  civil commitment approaches, 417-430  
  sentencing of drug offenders, 431-443
- Cognitive performance, and brain atrophy, 89-95

- Cognitive-behavioral drug abuse prevention, 475-485  
 Life Skills Training (LST) Program, 476-477  
 Collaborative Alcohol-Related Longitudinal Project, 3-4, 10-11, 13  
 Communications skills training, 367-374  
 Comorbidity  
   alcoholism, 31, 70, 204  
   dual diagnosis rates and subtypes of, 113-114, 117-120  
   psychiatric, 125-134  
 Composite International Diagnostic Interview (CIDI), 54  
 Comprehensive Drug Reform Act (NJ), 449-450  
 Computer assisted tomographic (CAT) scanning, 62-63, 71-73, 90-94, 105-106  
 Controlled drinking, 279-287. *See also* Abstinence  
 Coping skills training, 323-331  
 Cuban-Americans, youth drug use, 46  
 Cults and zealous self-help movements, 385-396  
 Cultural specificity, 1-13  
  
 D, L-5-Hydroxytryptophan (5-HT), 194-197, 199-201  
 Daytop Village, 392  
 Dependence Symptoms Scale, 369  
 Depression  
   alcoholism comorbidity, 31, 71, 204  
   anxiety and, 165  
   and ASP subtypes, 149-150  
   female, 150, 168  
   opiate addiction and, 168-169  
 Desipramine hydrochloride, 313-320  
*Diagnostic and Statistical Manual of Mental Disorders. See* DSM-III-R  
 Diagnostic classification system, 109-121  
   Axis I and II subtypes, 118-120  
   Type I and Type II alcoholics, 120  
 Diagnostic Interview Schedule (DIS), 7, 54, 114-115, 178, 234, 238  
   population surveys using the, 25-35  
 Digit Symbol subtest, 326  
 Digital blood volume amplitude (DBVA), 163  
 Dihydroxyphenylacetic acid (DOPAC), 197  
 Diseases  
   alcoholism disease concept, 292, 351, 404  
   liver, 69, 71, 82  
   Marchiafava-Bignami disease (MB), 73  
   systemic, 69  
 Disulfiram, 303, 304, 335  
  
 Divine Light Mission, 386, 387, 389  
 Dopamine  
   receptors, 72-73, 97-103, 157, 158-159, 218-219  
   serotonin and GABA, 193-202  
 Drinking Reasonably and Moderately with Self-control (DRAMS), 301  
 Drug abuse screening test (DAST), 241, 242, 290  
 Drug abuse treatment services. *See* Treatment programs, alcohol and drug abuse  
 Drug Abuse Warning Network (DAWN), 18  
 Drug addiction etiology, 153-170  
 Drug and alcohol survey, youth, 39  
 Drug offenders, sentencing of, 431-443  
 Drug Taking Evaluation Scale (DTES), 335, 337  
 Drugs, 40, 42, 43, 45, 47  
   acamprosate, 304  
   alcohol, 41, 157, 158  
   amphetamines, 158, 160  
   antidepressants, 292, 304  
   anxiolytic drugs, 161-167  
   barbituates, 157, 165, 167  
   benzodiazepines, 157, 165, 166, 167, 307  
   desipramine hydrochloride, 313-320  
   deterrent, 303-304  
   disulfiram, 303, 304, 335  
   experimentation with, 155-157  
   gateway, 42, 490  
   heroin, 42  
   inhalants, 42  
   lithium carbonate, 292, 314-319  
   marijuana, 41, 42, 156  
   methadone maintenance and civil commitment, 424-426  
   morphine, 169  
   naltrexone, 303-304  
   opiates, 137-143, 157, 167-169, 303, 306, 307  
   PCP, 42  
   polydrug abusers, 223, 225, 231, 236  
   polysubstance abuse, 72-73, 205  
   Schedule I drug, 432-433  
   serotonin uptake inhibitors, 304  
   stimulants, 41, 158, 160-161  
   tobacco, 41  
 DSM-II, 111  
 DSM-III, ASP criteria, 329  
 DSM-III-R  
   alcoholic dementia and Korsakoff's Syndrome criteria, 61  
   alcoholism criteria, 26-28, 32-33, 58, 127, 178, 204, 306, 324



- DSM-III-R (*continued*)  
  substance dependence syndrome criteria,  
    137-138, 140, 143  
  substance use disorders criteria, 53, 54, 58,  
    110, 111-112, 113, 114, 115, 116, 117, 119  
DSM-IV, 55, 109, 115, 119, 143, 153  
Dual diagnosis subtypes, 113-114, 117-120  
DWI offenders, 410, 412, 413  
Dysthymic disorder, 31
- Early intervention, 297-302  
Emergent treatment concepts, 297-344  
  abstinence programs/clinics, 306-309  
  choice of drinking goals in alcoholic treat-  
    ment program, 333-339  
  cocaine abstinence, 313-320  
  intervention, 297-302  
  matching studies, 309-310  
  pharmacological approaches, 302-304  
  treatment matching, 323-331  
Emotions Anonymous, 358  
Employee-assisted programs (EAP), 133, 238,  
  404-405, 410, 445-447  
Encephalopathy, 61. *See also* Wernicke-  
  Korsakoff Syndrome  
Enzymes  
  alcohol dehydrogenase (ADH), 210-211, 219  
  aldehyde dehydrogenase (ALDH), 210-211,  
    219  
  gamma-glutamyl transferase (GGT), 69  
Epidemiologic Catchment Area (ECA), sam-  
  pling bias study, 110, 113-114, 145, 146  
Epidemiologic Catchment Area (ECA) study,  
  54, 153, 204  
  St. Louis survey data, 27, 28, 32, 33, 34  
Epidemiology, 1-59  
  cross-national studies of drinking, 1-13  
  lifetime prevalence rates, 28-30, 32-34, 40,  
    41, 43, 45, 47  
  national and local surveys on adolescent drug  
    use, 37-50  
  population surveys, alcoholism, 25-35  
  use of alcohol and cocaine survey, 17-23  
Etiology, 153-221  
  children of alcoholics, 177-191  
  drug addiction, 153-170  
  genetic epidemiology of alcoholism, 203-212  
  serotonin, dopamine and GABA, 193-201  
Event-related potential (ERP), 162  
  in children of alcoholics, 177-191
- Familial transmission of alcoholism, 205-208  
  adoption studies, 207-208  
  twin studies, 206-207
- Family history  
  alcoholism, 66-67  
  multigenerational family histories (MFH),  
    163, 164, 165  
  subtyping male alcoholics using, 125-134  
Family-history-negative (FHN), 126, 130,  
  131  
Family-history-positive (FHP), 126, 130, 131,  
  134, 155, 163  
Federal Public Health Service (USPHS),  
  417  
Fetal alcohol syndrome (FAS), 66, 67  
Flushing, facial, 6, 33, 66  
Four-Word Short Term Memory Test, 326  
Functional imaging, 73-74
- GABA system, 165-167  
  serotonin, dopamine and, 193-202  
Gamblers Anonymous, 358  
Gamma-glutamyl transferase (GGT), 69  
Gastric alcohol dehydrogenase, 81-88  
Gateway drugs, 42, 490  
Georgia, sentencing of drug offenders in, 431-  
  443  
Global Assessment Scale, 316
- Hare Krishna, 386  
Harvard Alcohol Project, 464  
Hazelden model clinic, 305, 306  
Head injuries, 69-70  
Healthy cities movement, 503-504  
*Healthy People*, 490  
High intensity drinking, 233-235  
Hispanic-Americans, 6  
  use of alcohol and cocaine, 19-23  
  youth drug use, 44, 46, 455  
Hollingshead's Four Factor Index of Social Sta-  
  tus, 179  
Homovanillic acid (HVA), 197-198  
Hudson Generalized Contentment Scale (GCS),  
  376-382  
5-Hydroxyindoleacetic acid (5-HIAA), 194-  
  196
- Impaired Physicians Program of Georgia,  
  391  
Inpatient treatment, 304-306  
Institutional treatment and self-help groups,  
  391-393  
Interactional group therapy, 323-331  
Intercranial self-stimulation (ICS), 158  
International Classification of Diseases and Re-  
  lated Health Problems (ICD-10), 53, 54, 55,  
  109-110

- Intervention, definition, 297-302  
Iowa Stages Index, 411
- Japanese-Americans, drinking patterns, 6, 7, 10  
Jews and Israelis, alcoholism, 7  
Jourard Self-Disclosure Questionnaire, 372
- Korsakoff's Syndrome (KS), 61-62, 65, 66, 71, 72, 73, 74, 76, 105-106. *See also* Wernicke-Korsakoff Syndrome
- Laboratory testing, alcoholism, 240-241  
Last-chance agreements, 446-447  
Lay treatment community, 345-402  
    AA communication skills training, 367-374  
    AA spirituality and recovery, 375-383  
    Alcoholics Anonymous, 345-363  
    cults and zealous self-help movements, 385-394  
Life Events Scale (LE), 376-379, 383  
Life Skills Training (LST) program, 461-463, 476-477  
Lifetime prevalence rates  
    alcohol abuse, 28-30, 32-34  
    ASP, 159-160  
    drug use, adolescent, 40, 41, 43, 45-47  
    psychiatric syndromes of male alcoholics, 128-134  
    substance use disorders, 113-114  
Links, 349-350  
Lithium carbonate, 292, 314-319  
Liver dysfunction, 69, 71, 82  
Longitudinal, Expert diagnoses based on All available Data (LEAD), 116
- MacAndrews Alcoholism scale, 118  
Magnetic resonance imaging (MRI), 62-63, 71, 73, 105-106  
Managed care, 304  
Marchiafava-Bignami disease (MB), 73  
Marijuana, 41, 42, 156  
Mass media interventions, 463-465  
Matching studies, 309-310  
Maternal drinking, 155  
Maudsley study, 280-281  
Mental illness, zealous self-help movements and, 389-390  
Methadone maintenance and civil commitment, 424-426  
Mexican-Americans  
    drinking patterns, 5, 6-7, 10  
    youth drug use, 39, 44, 45, 46-47  
Michigan Alcoholism Screening Test, 411  
Midwestern Prevention Project (MPP), 466, 489-501  
Minneapolis Plan, 305  
Minnesota Heart Health Program, 465  
Minnesota Multiphasic Personality Inventory (MMPI), 118, 238, 253, 268  
Minnesota Smoking Prevention Program (MSPP), 459  
Monitoring the Future project, 455  
Monoamine oxidase (MAO), 219  
Mothers Against Drunk Driving (MADD), 403, 467
- Naltrexone, 303-304  
Narcotics addiction, civil commitment approaches in, 417-430  
Narcotics Addiction Rehabilitation Act (NARA), 426, 427  
Narcotics Anonymous, 358, 401  
National Adolescent Student Health Survey, 40, 41-42  
National Alliance for the Mentally Ill, 393  
National Cancer Institute (NCI), 459  
National Household Survey on Drug Abuse, 18, 40-41  
National Institute on Alcohol Abuse and Alcoholism (NIAAA), 237-238, 402  
National Institute on Drug Abuse, 37-38, 44  
National Institutes on Health, 224  
National Senior Survey, 40-41  
Native-Americans, youth drug use, 39, 44, 45, 50, 455  
Neuropsychological syndromes, alcohol abuse, 61-76  
Neurotetraptide cholecystokinin (CCK), 159  
New York State Narcotic Addiction Control Commission (NACC), 405  
North Kelia Youth Project, 465
- Obsessive-compulsive disorders, 304  
*One-parameter/two-parameter* models, 139-140  
Ontario Working Group to Develop a Directory of Outcome Measures, 237  
Opiate abuse, substance dependence syndrome, 137-143  
Opiate, addiction, 303, 306, 307  
    and depression, 168-169  
    naltrexone, 303-304  
Opiates and pain/loss/disappointment system, 167-169  
Out-patient alcoholic treatment program, 333-340  
Overeaters Anonymous, 358

- Pain/loss/disappointment system, 167-169  
Pathophysiology, 61-108  
    brain atrophy in abstinent alcoholics, 89-95  
    cocaine abuse on postsynaptic dopamine receptors, 97-103  
    high blood alcohol levels in women, 81-88  
    neuropsychological syndromes, 61-76  
Peer-led programs, 458-459  
Pellagra, 69  
PFI Social Behavior, 327, 328  
Pharmacological approaches, 302-304  
Phoenix House, 392  
Planimeter measurement, 63, 72  
Polydrug abusers, 223, 225, 231, 236  
Polysubstance abuse, 72-73, 205  
Positron emission tomography (PET), 63, 72, 74, 98-102, 105-106  
Prevention, 453-507  
    preventing adolescent drug abuse, 453-468, 473-485, 489-501  
Primary and secondary disorders, 115-116  
Problem drinking scale (PDS), 283  
Program evaluation and treatment outcome, 223-295  
    adult and youth treatment services, 249-278  
    monitoring treatment outcomes, 223-246  
    non-abstinent and abstinent outcomes, 279-287  
Project DARE, 460-461  
Project MATCH, 238, 290  
Project Northland, 466  
Project SMART, 460  
Psychiatric Diagnostic Interview (PDI), 127  
Psychiatric disorder, family history, of, 125-134  
Psychiatrically disabled, self-help for the, 393  
Psychoactive Substance Dependence and Abuse (PSDA) syndrome, 137-143  
Psychomotor system, 157-161  
Psychosocial Functioning Inventory, 238  
Psychotherapy, approaches to, 324  
  
Radiofrequency (RF) energy, 62-63  
Rand Drinking Symptoms Checklist, 411  
Rand report, 282-283  
Rasch model, 139  
Rats, drinking behavior, 193-202  
Recovery, Inc., 389-390  
Regional cerebral blood flow (rCBF), 63, 73-74  
Religion, spirituality and recovery, 375-383  
Renard Diagnostic Interview, 178  
Research Diagnostic Criteria (RDC), 114, 119, 316, 319  
  
*Salience*, measure, 141-143  
Saving Lives Program (MA), 467  
Schedule for Affective Disorders and Schizophrenia (SADS), 111, 114, 316  
Schizophrenia, 34  
Self-help groups for alcoholics, 345-346, 349-350  
Self-help movements, cults and zealous, 385-394  
Sensation-seekers, 155, 159  
Serotonin  
    dopamine and GABA, 193-201  
    GABA system and, 166  
    uptake inhibitors, 304  
Serum glutamic oxaloacetic transaminase (SGOT), 241  
Sex differences, 64, 66  
Short Michigan Alcoholism Screening Test (SMAST), 411  
Single photon emission tomography (SPECT), 63, 105-106  
*A Skeptic's Guide to the Twelve Steps*, 362  
*Sober Times*, 363  
Social drinking, concept of, 281-282  
Social movements, 354-355  
Sons of male alcoholics (SOMAs), 160, 162-164, 165  
Soteria House, 392  
Spanish-Americans, youth drug use, 45, 46  
Spirituality Self-Assessment Scale (SSAS), 355, 362, 376-381  
Stages of Change model, 411, 413  
Stimulant abusers, 41, 158, 160-161  
    opiates as psychomotor stimulants, 167, 169  
Stress-response dampening, 164  
Structured Clinical Interview for DSM-III-R (SCID), 114, 115, 139, 140-142  
Substance abuse treatment, coercion in, 403-415  
Substance dependence syndrome, and opiate users, 137-143  
Substance use disorders, 109-121  
Substance use prevention, adolescent, 457-459, 473-485  
    alcohol and marijuana prevention, 460-461  
    communitywide prevention efforts, 465-466  
    early, 456-457  
    Life Skills Training, 461-463, 476-477  
    mass media interventions, 463-465  
    Midwestern Prevention Project (MPP), 489-501  
    policy-level interventions, 466-467  
    smoking prevention, 459-460



- Superconducting quantum interference devices (SQUIDS), 106
- Systemic diseases, 69
- Teenager's Self Test: Cigarette Smoking*, 479
- Testosterone, 159
- "The War on Drugs," 403
- Time-Line Follow-Back assessment, 326
- Trail Making Test, 326
- Treatment, usage of term, 397-398
- Treatment Alternatives to Street Crime, 412
- 1988 Treatment Outcome Study (TOS), 249-267
- Treatment programs, alcohol and drug abuse  
abstinence programs/clinics, 231-235, 306-309  
adult and youth treatment services, 249-278  
inpatient treatment, 304-306  
monitoring treatment outcomes, 223-246  
non-abstinent and abstinent outcomes, 279-287  
out-patient alcoholic treatment program, 333-340
- Triaging, 228
- Tricyclic antidepressants, 304
- Tumor-node-metastasis (TNM) system, 116, 148
- Twelve-Step groups and programs, 358-363, 390-391. *See also* Alcoholics Anonymous
- Twin studies, alcoholism, 206-207
- Type I and Type II alcoholism, 120, 208, 219, 308, 309, 335, 336-337, 339
- Unification Church ("Moonies"), 385, 386, 387, 388
- U.S. Alcohol, Drug Abuse and Mental Health Administration (ADAMHA), 54
- Urban bias, 2, 3
- Ventricular brain ratios (VBRs), 63, 72
- War on drugs, U.S., 431-433
- Wechsler Adult Intelligence Scale-Revised (WAIS-R), 61, 326, 330
- Wernicke-Korsakoff Syndrome, 61, 69, 74, 94, 95
- White-Americans  
use of alcohol and cocaine, 19-22  
youth drug use, 38, 39, 44, 45, 46, 455-456
- WHO Collaborative Study, 461, 505, 506
- Wisconsin Card Sorting test, 326, 329
- Women  
AA members, 350  
age-of-onset of alcoholism, 204  
alcoholics, 64, 76  
anxiety-sensitive, 165  
female depression, 150, 168  
fetal alcohol syndrome (FAS), 66, 67  
high blood alcohol levels in, 81-88  
lifetime prevalence of alcoholism, 30-31, 33, 34  
maternal drinking, 155  
use of alcohol and cocaine, 19
- World Health Organization (WHO), 54, 138, 141
- Youth Risk Behavior Survey, 455
- Zealous self-help movements and cults, 385-396

